The Manufacturer
ANSELL HEALTHCARE EUROPE N.V.
RIVERSIDE BUSINESS PARK, BLOCK J
BOULEVARD INTERNATIONAL 55
B-1070 BRUSSELS
BELGIUM

declares under his sole responsibility, that the PPE described hereafter:

## MICROFLEX® 93-283

Products manufactured as of: [2023/02/08]

### PPE to be used against category III risks



JKPT





is in conformity with the provisions of Regulation (EU) 2016/425 and with the standards EN ISO 21420:2020, EN ISO 374-1:2016, EN ISO 374-5:2016, ISO 18889:2019 and is identical to the PPE which is subject to the EU-Type examination (Module B, Annex V of the Regulation), under certificate number 032/2021/1293.02, issued by the Notified Body:

CENTEXBEL (0493)
TECHNOLOGIEPARK 70
B-9052 ZWIJNAARDE
BELGIUM

and is subject to the procedure set out in Annex VII (Module C2) of the Regulation under the supervision of the Notified Body:

CENTEXBEL (0493) TECHNOLOGIEPARK 70 B-9052 ZWIJNAARDE BELGIUM

Guido Van Duren

**Director - Regulatory affairs** 

Ansell

Place: Brussels Date: 2023/02/08

The Manufacturer
ANSELL HEALTHCARE EUROPE N.V.
RIVERSIDE BUSINESS PARK, BLOCK J
BOULEVARD INTERNATIONAL 55
B-1070 BRUSSELS
BELGIUM

declares under his sole responsibility, that the PPE described hereafter:

# MICROFLEX® 93-283

Products manufactured as of: [2021/12/01] and till: [2023/02/07]

## PPE to be used against category III risks



JKPT





is in conformity with the provisions of Regulation (EU) 2016/425 and with the standards EN ISO 21420:2020, EN ISO 374-1:2016, EN ISO 374-5:2016, ISO 18889:2019 and is identical to the PPE which is subject to the EU-Type examination (Module B, Annex V of the Regulation), under certificate number 032/2021/1293, issued by the Notified Body:

CENTEXBEL (0493) TECHNOLOGIEPARK 70 B-9052 ZWIJNAARDE BELGIUM

and is subject to the procedure set out in Annex VII (Module C2) of the Regulation under the supervision of the Notified Body:

CENTEXBEL (0493) TECHNOLOGIEPARK 70 B-9052 ZWIJNAARDE BELGIUM

Guido Van Duren

Director - Regulatory affairs

Ansell

Place: Brussels Date: 2021/12/01

The Manufacturer
ANSELL HEALTHCARE EUROPE N.V.
RIVERSIDE BUSINESS PARK, BLOCK J
BOULEVARD INTERNATIONAL 55
B-1070 BRUSSELS
BELGIUM

declares under his sole responsibility, that the PPE described hereafter:

## Microflex® 93-283

Products manufactured as of: [2020/11/16] and till: [2021/11/30]

## PPE to be used against category III risks



JKPT



is in conformity with the provisions of Regulation (EU) 2016/425 and with the standards EN ISO 374-1:2016, EN 420:2003 + A1:2009, EN ISO 374-5:2016 and is identical to the PPE which is subject to the EU-Type examination (Module B, Annex V of the Regulation), under certificate number 032/2019/0117.02, issued by the Notified Body:

CENTEXBEL (0493) TECHNOLOGIEPARK 70 B-9052 ZWIJNAARDE BELGIUM

and is subject to the procedure set out in Annex VII (Module C2) of the Regulation under the supervision of the Notified Body:

CENTEXBEL (0493) TECHNOLOGIEPARK 70 B-9052 ZWIJNAARDE BELGIUM

**Guido Van Duren** 

Director - Regulatory affairs

Ansell

Place: Brussels Date: 2020/11/16

The Manufacturer
ANSELL HEALTHCARE EUROPE N.V.
RIVERSIDE BUSINESS PARK, BLOCK J
BOULEVARD INTERNATIONAL 55
B-1070 BRUSSELS
BELGIUM

declares under his sole responsibility, that the PPE described hereafter:

## Microflex® 93-283

Products manufactured till: [2020/11/15]

## PPE to be used against category III risks



JKPT



is in conformity with the provisions of Regulation (EU) 2016/425 and with the standards EN ISO 374-1:2016, EN 420:2003 + A1:2009, EN ISO 374-5:2016 and is identical to the PPE which is subject to the EU-Type examination (Module B, Annex V of the Regulation), under certificate number 032/2019/0117, issued by the Notified Body:

CENTEXBEL (0493) TECHNOLOGIEPARK 70 B-9052 ZWIJNAARDE BELGIUM

and is subject to the procedure set out in Annex VII (Module C2) of the Regulation under the supervision of the Notified Body:

CENTEXBEL (0493) TECHNOLOGIEPARK 70 B-9052 ZWIJNAARDE BELGIUM

Guido Van Duren

Director - Regulatory affairs

Ansell

Place: Brussels Date: 2019/01/21